

M3000

	Trailer Truck	Dump Truck	Lorry
Drive type	4x2, 6x4	6x4、8x4	8x4
Cabin	Lenghened high roof (G) Lenghened mid roof (H)	Lenghened mid roof (H)	Lenghened high roof (G)
Engine	Weichai power WP6, WP7, WP10, WP12 Cummins ISM series	Weichai power WP7, WP10, WP12	Weichai power WP6, WP7, WP10
Emission Level	Euro II, III, IV, V	Euro II, III, IV, V	Euro II, III, IV, V
Transmission	FAST F9, F10, F12 series	Manual transmission 8F, 9F, 10F, Automatic	FAST F8, F9, F10, F12 series
Clutch	ETONΦ430 diaphragm imported or Chinese manufactured	ETONΦ430 diaphragm imported or Chinese	ETONΦ430 diaphragm imported or Chinese
Front Axle	7.5 ton MAN (drum) 6x4 vehicles can select 5.5 ton MAN (drum)	7.5 ton MAN (drum) 5.5 ton MAN (drum)	5.5 ton MAN (drum) 7.5 ton MAN
Rear Axle	13 ton MAN double reduction with optional 13 ton MAN single reduction or 13 ton STR double	16 ton MAN double stage casting 13 ton MAN double stage	13 ton MAN single stage 11.5 ton MAN single stage
Suspension	Multi leaf springs with optional few leaf spring configuration for 6x4	Multi leaf springs, 4 main piece U-bolts	Multi leaf springs
Frame (in mm)	850x270 (8+5) 850x270 (8+4)	850x300 (8+7) 850x300 (8+5)	850x300(8+5)
Fuel Tank	300 / 400 / 600 liter aluminum	300 / 400 liter aluminum	400 / 600 liter aluminum
Tires	12.00R20, 11.00R20 12.00R22.5, 11.00R22.5	11.00R20、12.00R20	11.00R20、12.00R20
The fifth wheel	Regular 90 saddle enhanced 90 saddle lightweight 90 saddle		







